

**ICE | SANDSTONE | GREYSTONE | CHARCOAL**

PEDESTRIAN PAVERS	ICE SANDSTONE		
	GREYSTONE	CHARCOAL	
Patio Pave 30 400x400x30mm	31.50	37.50	m2
Square Paver 400x400x40mm	35.50	--	m2
Luxe Paver 600x400x40mm	47	--	m2
<b>POOL, WALL &amp; STEP CAPPING</b>			
270 Seamless Capping 270x400x30mm	26	32	Lm
270 4 Sided Seamless Capping 270x400x30mm	26	32	each
Use as External Corner, Double Sided, Stepping Stone or End Piece			
270 Bullnose 270x400x40mm	34	--	Lm
Corners to suit 270 Bullnose 270x400x40mm	34	--	each
400 Seamless Capping 400x400x40mm	31	37	Lm
400 4 Sided Seamless Capping 400x400x40mm	31	37	each
Use as External Corner, Double Sided, Stepping Stone or End Piece			
<b>VEHICULAR TRAFFIC PAVERS</b>			
Square Paver 400x400x60mm	41	47	m2

**ABROLHOS | METRO**

<b>PEDESTRIAN PAVERS</b>			
Square 400x400x30mm		54	m2
Luxe 600x400x30mm		64	m2
Circle Steppers 600, 400 or 250 x40mm		53	each
<b>POOL, WALL &amp; STEP CAPPING</b>			
270 Seamless Capping 270x400x30mm		45	Lm
270 4 Sided Seamless Capping 270x400x30mm		34	each
Use as External Corner, Double Sided, Stepping Stone or End Piece			
400 Seamless Capping 400x400x40mm		50	Lm
400 4 Sided Seamless Capping 400x400x40mm		38	each
Use as External Corner, Double Sided, Stepping Stone or End Piece			
<b>VEHICULAR TRAFFIC PAVERS</b>			
Square 400x400x60mm		66	m2
Luxe 600x400x60mm (sold per pallet of 9.12m2 only)		79	m2
Rectangle 200x400x60mm		74	m2
Tactiles 400x400x60mm Off-form 2023 compliant design (Custom thickness possible)		72	m2
Multi Spec Tactiles 600x400x60mm Off-form 2023 compliant design (Custom thickness possible)		77	m2

**OCEAN BLUESTONE**

Paver 600x300x25mm		76	m2
Capping 600x300x25mm		41	Lm

**DESIGNOPAWE - MONACO | BORDEAUX | SANTORINI | WHITE GRANITO | GREY GRANITO | BLACK GRANITO**

Paver 600x300x20mm		65	m2
Capping 600x300x20mm		48	Lm

**DESIGNOPAWE - JARRAHWASH | DRIFTWOOD | BEACHWOOD**

Planks 1200x200x20mm		69	m2
Capping 1200x200x20mm		53	Lm

**ROMA TRAVERTINE**

French Pattern Paver Sets x 30mm	85	m2
Rectangle Paver 610x305x30mm	94	m2
Capping 610x305x30mm	45	Lm
Lip Capping 610x305x30mm	105	Lm

**PRIMO TRAVERTINE**

French Pattern Paver Sets x 30mm	94	m2
Rectangle Paver 610x305x30mm	99	m2
Capping 610x305x30mm	48	Lm

**ATLANTIS TRAVERTINE**

French Pattern Paver Sets x 30mm	100	m2
Rectangle Paver 610x305x30mm	109	m2
Capping 610x305x30mm	53	Lm

**ARCTIC MARBLE**

Rectangle Paver 610x305x30mm	99	m2
Capping 610x305x30mm	48	Lm

**BLUESTONE STEPPER**

Honed Irregular Shape Stepping Stone Approx. 500 - 700x30mm	75	each
---	----	------

**HAWAIIAN SWIRL | EVEREST | WHITE QUARTZ | COPPER | KNAPPED ICE**

Face Panels	97	m2
Corner Pieces	16	each

**OTHER ITEMS AND SERVICES**

Paving Join Grout Powder 20kg bag sweep in and wet to set anti weed / ant deter gel	20	each
Pool Skimmer Lid Kit 305x305mm stainless base, lid, key and stone insert. Coral/Quartz	385	each
Pool Skimmer Lid Kit 305x305mm stainless base, lid, key and stone insert. All Others	399	each
Stone Adhesive Tube 660ml stone to fibre glass, hardboard or stone surfaces	17	each
Adhesive Tube Gun canister style to dispense adhesive	17	each
Part Pallet Build for under half pallet orders strap, labour & bag cost	15	each
Metro/Outer Delivery to verge. Min Cost \$125/\$145. 3 Pallets \$150/\$180. 4 or more pallet loads.	40/50	each
Pallet Bond refund processed on return by client to Freo Stone with invoice #	40	each

*All deliveries are to verge only and not beyond, to avoid property damage regardless of owners permission*

*Sizes are approximate and no works should be started without your specific stone purchase in hand  
 Freo Stone products are sold to order with notice by full piece, set, carton, bag or box nearest to units required  
 SEALING Stones can be damaged by some sealers and the bulk of our range we do not recommend sealing at all  
 Please seek advice from our team or website to avoid damaging your stone by trusting generic labelling  
 Prices are ex Bibra Lake factory and outside Perth Metro Delivery may require extra packaging at extra cost  
 Prices are inc G.S.T. subject to change at any time and seeking a recent valid quotation is advis*

**MAY24RP**



**like concrete, but classy...**



**Your outdoor space deserves to be different...**

# W.A. Made... coastal comfort



**Ice**



**Sandstone**



**Greystone**



**Abrolhos**



**Charcoal**



**Metro**

## Available in



**SQUARE PAVER**  
 SIZE 400 x 400mm  
 THICKNESS  
 30mm & 60mm



**LUXE PAVER**  
 SIZE 600 x 400mm  
 THICKNESS  
 40mm  
 (Abrolhos & Metro  
 30mm & 60mm)




**RECTANGLE PAVER**  
 SIZE 400 x 200mm  
 THICKNESS  
 60mm (Abrolhos &  
 Metro only)


### NEW



**MULTI SPEC TACTILE PAVER**  
 SIZE 600 x 400mm  
 THICKNESS  
 30, 40, 50 & 60mm



**HAZARD TACTILE PAVER**  
 SIZE 400 x 400mm  
 THICKNESS  
 30, 40, 50 & 60mm



**DIRECTIONAL TACTILE PAVER**  
 SIZE 400 x 400mm  
 THICKNESS  
 30, 40, 50 & 60mm




**Pave Set - Sweep in and "wet to set" joint powder.**  
 Ensuring low maintenance whilst maintaining a classy finish with genuine pavers, not site poured imitations.

Allowing easy paver removal for:


- access to water pipes & wires
- fence / patio post installations
- garden design changes
- extreme stain paver swaps
- colour matching old selections



**CIRCLE STEPPERS**  
 SIZE  
 600, 400 & 250mm  
 THICKNESS 40mm




Use also for




Internal Corner

**270 SEAMLESS CAPPING**

SIZE 400 x 270mm  
THICKNESS 30mm




Use also for




External Corner

**270 4 SIDED SEAMLESS CAPPING**


SIZE 400 x 270mm  
THICKNESS 30mm



2 Sided,  
End Piece or  
Stepping Stone




Use also for




Internal Corner

**400 SEAMLESS CAPPING**

SIZE 400 x 400mm  
THICKNESS 30mm




Use also for




External Corner

**400 4 SIDED SEAMLESS CAPPING**

SIZE 400 x 400mm  
THICKNESS 30mm



2 Sided,  
End Piece or  
Stepping Stone





**RETRO BULLNOSE CAPPING**

SIZE 400 x 270mm  
THICKNESS 40mm



**Freo Skimmer Lid Kits... a superior finish**

- More attractive, central keyhole to avoid edge chipping.
- Marine grade stainless steel, to suit most Freo Stone Pavers.
- Compliant with Australian Pool Safety Standard 1926.3 2010.
- Order to be delivered with your Pool Capping Kits.



# Travertine & Marble... a genuine slice of Europe



**RECTANGLE PAVER**  
**SURFACE** Honed then tumbled  
**SIZE** 610 x 305mm  
**THICKNESS** 30mm



**FRENCH PATTERN PAVERS**  
**SURFACE** Honed then tumbled  
**SIZE** Consisting of 203 x 203, 406 x 406, 406 x 203, 610 x 406mm  
**THICKNESS** 30mm  
 (not available in Arctic)



**CAPPING**  
**SURFACE** Honed then tumbled  
**SIZE** 610 x 305mm  
**THICKNESS** 30mm



**ROMA OVERHANGING LIP CAPPING**  
**SURFACE** Honed then tumbled  
 (Tumbled natural cored edges.)  
**SIZE** 610 x 305 x 80mm  
**THICKNESS** 30mm



**Roma**



Quality stone cut from Europe's best quarries.



Can be easily installed onto a sand base.



Lightly textured surfaces providing grip and comfort.



Stunning variations of colour throughout each project.



**ROMA**





**PRIMO**



**ARCTIC MARBLE**



**ATLANTIS**



**Your outdoor space deserves to be different...**



**Primo**



**Arctic Marble**



**Atlantis**

# DesignoPave... non-slip porcelain pavers



- Non-slip surface and no sealing required.
- Lay straight onto sand, cracker dust, concrete or plastic pedestals.
- Strength far superior to stone of even greater thickness.
- Realistic durable alternatives to natural timber and granite.

**CAPPING**  
SIZE 600 x 300mm  
THICKNESS 20mm



**JARRAHWASH**  
Paving or Capping  
SIZE 1200 x 200mm  
THICKNESS 20mm



**BEACHWOOD**  
Paving or Capping  
SIZE 1200 x 200mm  
THICKNESS 20mm



**DRIFTWOOD**  
Paving or Capping  
SIZE 1200 x 200mm  
THICKNESS 20mm



**BORDEAUX**  
Paving or Capping  
SIZE 600 x 300mm  
THICKNESS 20mm




**MONACO**  
Paving or Capping  
SIZE 600 x 300mm  
THICKNESS 20mm




**SANTORINI**  
Paving or Capping  
SIZE 600 x 300mm  
THICKNESS 20mm



**WHITE GRANITO**  
Paving or Capping  
SIZE 600 x 300mm  
THICKNESS 20mm



**GREY GRANITO**  
Paving or Capping  
SIZE 600 x 300mm  
THICKNESS 20mm



**BLACK GRANITO**  
Paving or Capping  
SIZE 600 x 300mm  
THICKNESS 20mm

**Your outdoor space deserves to be different...**



# Ocean Bluestone... a grey with attitude

## PAVER

**SURFACE** Non-slip  
**SIZE** 600 x 300mm  
**THICKNESS** 25mm

## CAPPING

**SURFACE** Non-slip  
**SIZE** 600 x 300mm  
**THICKNESS** 25mm



- Non-slip yet gentle to touch.
- Smooth edge capping.

From an overcast misty grey, to thunderous deep tones when wet. Ocean Bluestone's swirls of greys, white and golds provide a finish that is truly unique. A contemporary grey option with attitude.

# Stone cladding... bringing walls to life



**EVEREST**  
**SIZE** 600 x 150mm




**COPPER**  
**SIZE** 600 x 150mm



**KNAPPED ICE**  
**SIZE** 495 x 160mm



**HAWAIIAN SWIRL**  
**SIZE** 600 x 150mm



**DESERT**  
**SIZE** 600 x 150mm



**WHITE QUARTZ**  
**SIZE** 600 x 150mm



Pre-cut corners are available for all colours

The beauty of natural stone is its variation in colour. Visit our sites to see current tones.

Photos above indicate approx 600mm x 600mm section.



# Bluestone... natural steppers




**Honed surface**  
**SIZE** Various approx. 500 - 700mm  
**THICKNESS** 30mm



# Commercial... high-end spec solutions




10 other colours available for commercial quantity projects.



**NEW**



**MULTI SPEC  
TACTILE PAVER**  
SIZE 600 x 400mm  
THICKNESS  
30, 40, 50 or 60mm



**Suitable for a range of applications.**

## Freo Stone Paving Perth

North

South



**GREENWOOD**  
Display and Stock Centre  
29 Canham Way  
Greenwood W.A.



**BIBRA LAKE**  
Manufacturing Facility, Full Scale  
Display and Stock Centre  
139 Barrington Street  
Bibra Lake W.A.



## high tech... high quality

Freo Stone Paving utilises robotic technology to maintain a superior level of quality throughout its manufacturing operations. Combining this with only the highest grade raw materials and an experienced team, had resulted in the brand becoming the designers' popular choice Australia wide.

## CUSTOMER SERVICE

08 9418 8404

[info@freostone.com.au](mailto:info@freostone.com.au)



**Free mobile design and sample units  
to your Perth metro site or office**

**for more ideas visit  
[freostone.com.au](http://freostone.com.au)**



Our pavers comply with Australian and New Zealand Standards AS/NZS 4586:1999 and are manufactured for uniformity of shape, colour and consistency of dimensions, however you may encounter some variation. The colours in this brochure are approximate only. Products shown are correct at the time of printing. April 2024 Freo Stone ABN 30 143 880 422.